

Wendel Family Dental Centre Consent for Intravenous Sedation and Oral Sedation

Vancouver 360-254-5254 Salmon Creek 360-546-5208 360-823-0427

Hiddenbrook

Please initial each paragraph after reading. If you have any questions about your proposed treatment, please ask your doctor BEFORE initialing or signing this form.	
considered c	hosen to have \Box intravenous sedation and/or \Box oral sedation for your dental treatment, common procedures that are quite safe. WOMEN: If you are pregnant, you are <u>NOT</u> a candidate for Sedation. Nevertheless, any anesthesia carries some risk mon risks are noted below for your review before you consent to its use:
1.	Allergic reactions (previously unknown) to any of the medications used.
2.	The effects of the anesthetic or sedative medications may cause prolonged drowsiness, light-headedness, headache, visual disturbances, amnesia and nausea. Nausea and vomiting, although not common, are potential side effects of anesthesia. Bed rest, and sometimes medications, may be required for relief.
3.	You MUST be accompanied by a responsible adult to drive you to and from surgery, and stay with you for several hours until you have recovered sufficiently to care for yourself. During your drive home, your seat in the car should be in the reclined position. When you arrive home, lie down with your head elevated. During recovery time (normally 24 hours), you should not drive, operate complicated machinery or devices or make important decisions, including watching children and cooking. ABSOLUTELY NORECREATIONAL DRUGS OR ALCOHOL 24 hours before or after treatment.
4.	You must have a completely empty stomach. It is vital that you have NOTHING TO EAT OR DRINK for <u>six (6) hours</u> prior to your anesthetic. <u>TO DO OTHERWISE MAY BE LIFE-THREATENING!</u> <u>Take regular medications</u> or prescriptions prescribed by your physician, with clear fluids (water, tea, Gatorade, and apple juice), unless told to do otherwise. You may drink clear liquids and have plain jello up to two hours prior to your appointment.
5.	Nitrous Oxide (laughing gas) may be used in conjunction with the sedation.
<u>6</u> .	You must report any and all personal illness or allergies (including diabetes) – no matter how insignificant they may seem.
7.	You must also disclose any medication or drugs, prescribed or recreational , you have taken within the last three weeks, including but not limited to: heroine, crack, cocaine, methadone, methamphetamine, duragesic patch, percocet, vicodin, opium, and/or marijuana.
RISKS ASSO	OCIATED WITH INTRAVENOUS SEDATION ONLY:
1.	Discomfort, swelling or bruising at the site where the drugs are placed into a vein, which may include vein irritation, called phlebitis. Sometimes this may progress to a level of discomfort where arm or hand motion may be restricted. Further medication or care may be required, which may require hospitalization.
2.	IV sedation is a medical procedure that in very rare instances carries with it the risk of brain damage, stroke, heart attack or death.
contact lense	or your appointment. Wear loose fitting clothing with sleeves that can be drawn up past the elbow, and wear low heeled shoes. Remove es. Remove fingernail polish and/or artificial nails on at least one finger. WOMEN ONLY: Patients who are breastfeeding need to be be edings post appointment; pump and discard for a minimum of 24 hrs after being sedated.
are taking me to observe th additional me	ntended to make your dental treatment a comfortable experience. It is suitable for most people, but if you are not in good health or if you edication, you need to let us know, so the sedation can be modified to suit your needs. These instructions are so important that failure nem will automatically result in cancellation of your treatment that day. IV Conscious Sedation affects everyone in a different manner. If edication is required to properly sedate you, a \$50 charge may be added to your account. If our attempt to sedate you is deemed by
your provider	to be unsuccessful, you may be referred for general anesthesia.
request that i	and understand the above paragraphs and realize that intravenous sedation and/or oral sedation carries with it certain serious risks. I ntravenous and/or oral sedation anesthesia be used for my surgery. All my questions regarding this consent have been answered fully tisfaction, and I fully understand the risks involved. I certify that I speak, read and write English.
Patient/Guard	lian: Witness: